Application No. 09/763,174 Docket No. 0179-0167P PATEN

0179-0167P

IN THE U.S. PATENT AND TRADEMARK OFFICE

Applicant:

Bernd FROEHLICH et al.

Application No.:

09/763,174,

Group:

UNKNOWN

Filed:

February 20, 2001

Examiner:

**UNKNOWN** 

For:

INPUT DEVICE FOR CONTROL SIGNALS FOR CONTROLLING

THE MOVEMENT OF AN OBJECT REPRESENTED ON A DISPLAY DEVICE AND GRAPHIC DISPLAY HAVING SAID

INPUT DEVICE

### LETTER

Assistant Commissioner for Patents Washington, DC 20231

March 16, 2001

Sir:

In the above-identified application, a copy of an original Declaration/Power of Attorney was submitted to the Patent and Trademark Office ("PTO") on February 20, 2001.

As evidence of authenticity of the copy, 37 C.F.R. § 1.4(d) (2), Applicants submit herewith an original Declaration/Power of Attorney and respectfully request that it be made part of the Prosecution History in the above-identified application by being added to the contents of file wrapper.

Also, attached is a Verified Statement Claiming Small Entity. Please make this document part of the prosecution history.

08/23/2001 UEDUVIJE 00000010 022448 09763174

01 FC:154

130.00 CH

Application No. 09/763,174 Docket No. 0179-0167P

If there are any outstanding matters remaining in this application, the Examiner is invited to contact Donald J. Daley, Reg. No. 34,313 at (703) 205-8000 in the Washington, D.C. area in order to discuss these matters.

DJD:kna

If necessary, the Commissioner is hereby authorized in this, concurrent, and further replies, to charge payment or credit any overpayment to Deposit Account No. 02-2448 for any additional fees required under 37 C.F.R. § 1.16 or under 37 C.F.R. § 1.17; particularly, extension of time fees.

Respectfully submitted,

BIRCH, STEWART, KOLASCH & BIRCH, LLP

By:

Donald J. Daley, Reg. No. 34,313

P.O. Box 747

Falls Church, VA 22040-0747

(703) 205-8000

JC08 Rec'd PCT/PTO 2 0 FEB 2001

FORM PTO		PARTMENT OF COMMERCE PAIENT AND TRADEMARK OFFICE	ZUFEB 20				
(REV. 11-2	RANSMITTAL LETTER	ATTORNEY'S DOCKET NUMBER					
_	DESIGNATED/ELECTE	0179-0167P					
<u>-</u>	CONCERNING A FILING	U.S. APPLICATION NO. (If known, see 37 CFR 1.5)  09/716/3174					
INTER	NATIONAL APPLICATION NO.	INTERNATIONAL FILING DATE	PRIORITY DATE CLAIMED				
	PCT/EP99/06494	September 3, 1999					
	OF INVENTION		September 8, 1998				
INPUT	DEVICE FOR CONTROL SIGNAL CANT(S) FOR DO/EO/US	LS FOR CONTROLLING THE MOVEMENT	OF AN OBJECT REPRESENTED ON *				
		FRUEHLICH, Bernd; PLATE, John					
Applica	nt herewith submits to the United States	Designated/Elected Office (DO/EO/US) the follo	owing items and other information:				
	This is a FIRST submission of items conce						
		omission of items concerning a filing under 35 U.S.	C. 371.				
3. 🔀 🛚	This express request to begin national of	examination procedures (35 U.S.C. 371(f)) at a	any time rather than delay				
	examination until the expiration of the	applicable time limit set in 35 U.S.C. 371(b) a	and PCT Articles 22 and 39 (1).				
4. X 1 5. X A	The US has been elected by the expiration of 19	months from the priority date (Article 31).					
Walio .	A copy of the International Application						
	I is transmitted herewith (require	ed only if not transmitted by the International F	Bureau).				
<b>4.3</b> I		ernational Bureau. WO 00/14676	C (DOTTO)				
6.	is not required, as the application was filed in the United States Receiving Office (RO/US).						
·							
	b. has been previously submitted under 35 U.S.C. 154(d)(4)						
7.	Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3)).						
ineri ineri	a. are transmitted herewith (required only if not transmitted by the International Bureau).						
	b. have been transmitted by the International Bureau.						
	c. have not been made; however, t	he time limit for making such amendments ha	s NOT expired.				
	d. $igwedge$ have not been made and will no	t be made.					
8.	An English language translation of the	e amendments to the claims under PCT Article	19 (35 U.S.C. 371(c)(3)).				
	An oath or declaration of the inventor						
10.	An English language translation of the (35 U.S.C. 371(c)(5)).	e annexes of the International Preliminary Exa	mination Report under PCT Article 36				
ktems 11	. to 20. below concern document(s)	or information included:					
11. 🔯	An Information Disclosure Statement	under 37 CFR 1.97 and 1.98-International Sea	rch Report (PCT/ISA/210) w/ 2 documents				
12.	An assignment document for recording	g. A separate cover sheet in compliance with 3	7 CFR 3.28 and 3.31 is included.				
13. 🔀	A FIRST preliminary amendment.						
	A SECOND or SUBSEQUENT prelin	ninary amendment.					
	A substitute specification.						
	A change of power of attorney and/or						
18.	A computer-readable form of the sequi	ence listing in accordance with PCT Rule 13te	r.2 and 35 U.S.C. 1.821-1.825.				
	A second copy of the English language	ational application under 35 U.S.C. 154(d)(4).	1 2577 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2				
20. 🖂	Other items or information:	e translation of the international application un	der 35 U.S.C. 154(d)(4).				
	1.) Small Entity Statements	` \					
2	2.) PCT Request (PCT/RO/101	•					
*	A DISPLAY DEVICE AND GRAPH	IIC DISPLAY HAVING SAID INPUT DEVI	CE				

U.S. APPLICATION NO (if known, see 37 CFR 15)  INTERNATIONAL APPLICATION NO  ATTORNEY'S DOCKET NUMBER					3R			
09\text{\$\text{\$\psi}\$}\text{63174} PCT/EP99/06494			0176-0167P					
21. The following fees are submitted:					CAL	CULATION		O USE ONLY
BASIC NATIONAL FEE (37 CFR 1.492(a)(1)-(5):								
Neither international preliminary examination fee (37 CFR 1.482)					i			
nor international searc	ch fee (37 CFR 1.445(a)	(2)) pai	d to USPTO					
and International Sear	rch Report not prepared	by the	EPO or JPO	\$1,000.00				
International prelimina	ary examination fee (37	CER 1	192) not noid to		l			
USPTO but Internation	nal Search Report prepa	ared by	the EPO or JPO	\$860.00				
				\$000.00				
International prelimina	ry examination fee (37	CFR 1	482) not paid to USPTO					
but international search	h fee (37 CFR 1.445(a)	(2)) pai	d to USPTO	\$710.00	ļ			
International prelimina	ary examination fee (37	CED 1	490) 140 TIGDTO		İ			
but all claims did not s	atisfy provisions of PC	T Artic	482) paid to USP1U le 33(1)-(4)	\$600.00				
	andly provisions of te	1 AIUC	10 33(1)=(4)	\$690.00				
International prelimina	ary examination fee (37	CFR 1.	482) paid to USPTO					
and all claims satisfied	l provisions of PCT Art	icle 33(	1)-(4)	\$100.00	\$	960.00		
ENTER API	PROPRIATE BA	SIC 1	FEE AMOUNT =		3	860.00	l	
Surcharge of \$130.00 for	or furnishing the oath o	r declar	ation later than 20	30	_			
months from the earlies			R 1.492(e)).		\$	0		
CLAIMS	NUMBER FILEI	D	NUMBER EXTRA	RATE				
Total Claims	14 - 20 =		0	X \$18.00	\$	0		
Independent Claims	3 - 3 =		0	X \$80.00	\$	0		
MULTIPLE DEPENDE	ENT CLAIM(S) (if app	licable)	None	+ \$270.00	\$	0		
not a second	TO	TAL C	F ABOVE CALCULA	TIONS =	\$	860.00	<del></del>	
Applicant claims sn	nall entity status. See 3	7 CFR	1.27. The fees indicated ab	ove are				
Applicant claims small entity status. See 37 CFR 1.27. The fees indicated above are reduced by 1/2.					\$	-430.00		
SUBTOTAL =					\$	430.00		
Processing fee of \$130.00 for furnishing the English translation later than months from the earliest claimed priority date (37 CFR 1.492(f)).					\$		· · · · · · · · · · · · · · · · · · ·	
more irom the earlies	t claimed priority date (	(37 CFF		+	4	0		
	-11	CTT 1	TOTAL NATIONA	AL FEE =	\$	430.00		
accompanied by an appr	ropriate cover shoot (37)	CFR 1.2	21(h)). The assignment mod. 28, 3.31). <b>\$40.00</b> per prop	ist be	\$	0		
accompanied by an appr	topriate cover sheet (37	CFK3						
	<del></del>		TOTAL FEES ENC	LOSED =	\$	430.00		
					А	mount to be: refunded	\$	
						charged	\$	
a M A check in the em	20unt of \$ 420.00 to	41.	1 6					<del></del>
a. A check in the amount of \$ 430.00 to cover the above fees is enclosed.								
b. Please charge my Deposit Account. No in the amount of \$ to cover the above fees.  A duplicate copy of this sheet is enclosed.								
c. The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 02-2448.								
NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.								
Send all correspondence to:  Birch, Stewart, Kolasch & Birch, LLP or Customer No. 2292								
P.O. Box 747								
Falls Church, VA 22040-0747								
(703)205-8000					2		2	
Date: February 20, 2001				11		ř'_		
Date: February 20, 2001					I Del	y #34,313	$\rightarrow$	_
				Donald	J. Dale	y; #34,313	f	

IN THE U.S. PATENT AND TRADEMARK OFFICE

09/763174

Applicant:

FRUEHLICH, Bernd et al.

JC03 Rec'd PCT/PTO 2 0 FEB 2001

Int'l. Appl. No.:

PCT/EP99/06494

Appl. No.: New

Filed:

February 20, 2001

Examiner:

For:

INPUT DEVICE FOR CONTROL SIGNALS FOR CONTROLLING THE MOVEMENT OF AN OBJECT

REPRESENTED ON A DISPLAY DEVICE AND GRAPHIC

DISPLAY HAVING SAID INPUT DEVICE

#### PRELIMINARY AMENDMENT

#### BOX PATENT APPLICATION

Assistant Commissioner for Patents Washington, DC 20231

February 20, 2001

Sir:

The following Preliminary Amendments and Remarks are respectfully submitted in connection with the above-identified application.

#### **AMENDMENTS**

### IN THE SPECIFICATION:

Please amend the specification as follows:

Before line 1, insert --This application is the national phase under 35 U.S.C. § 371 of PCT International Application No. PCT/EP99/06494 which has an International filing date of September 3, 1999, which designated the United States of America.--

#### IN THE CLAIMS:

Please amend the claims as follows:

Claim 5: Line 1, change "one of claims 1 to 4" to
--claim 1--

Claim 6: Line 1, change "one of claims 1 to 5" to

--claim 1--

Claim 8: Line 1, change "one of claims 1 to 7" to
--claim 1--

Claim 9: Line 1, change "one of claims 1 to 8" to
--claim 1--

Claim 11: Line 1, change "one of claims 1 to 10" to --claim 1--

Claim 12: Line 1, change "one of claims 1 to 11" to
--claim 1--

Claim 13: Line 1, change "one of claims 1 to 12" to --claim 1--

#### **REMARKS**

The specification has been amended to provide a cross-reference to the previously filed International Application. The claims have also been amended to delete multiple dependencies and to place the application into better form for examination. Entry of the present amendment and favorable action on the above-identified application are earnestly solicited.

If necessary, the Commissioner is hereby authorized in this, concurrent, and future replies, to charge payment or credit any overpayment to Deposit Account No. 02-2448 for any additional fees required under 37 C.F.R. § 1.16 or under 37 C.F.R. § 1.17; particularly, extension of time fees.

Respectfully submitted,

BIRCH, STEWART, KOLASCH & BIRCH, LLP

ЗУ

Donald J. Daley, #34,31

P.O. Box 747

Falls Church, VA 22040-0747

(703) 205-8000

(Rev. 01/22/01)

DJD/cac

9/788174

# PTO/PCT Rec'd 20 APR 2001

# Input device for control signals for controlling the movement of an object represented on a display device and graphic display having said input device

The present invention refers to an input device for control signals for controlling the movement of an object represented on a display device and to a display device, the representation of which is controlled by a control signal input device.

Control signal input devices are known, e.g., in the form of mouse devices. Using such input devices one may control and influence, for example, the cursor movement on a monitor or - in case of a user program - for example, the representation on a display device, e.g. a monitor. It would be advantageous in a plurality of applications to have representation-specific input devices available that, due to their structure, make it easier for a user to readily control representations, in particular stereographic representations, on a display device, e.g. a monitor.

From US-A-5 734 370, an input device for a display device is known, with which an object may be displaced on the display device. The known input device comprises a rod that can be pivoted within the housing of the input device about two mutually parallel axes and can be displaced about its longitudinal axis. The known input device serves to control a virtual pool application. Further, from US-A-5 729 249, a cubic input device is known the side surfaces of which have sensitive regions or actuating elements for manipulating an object displayed on a display device. This known input device is disadvantageous in that the arrangement and orientation of its actuating elements do not correspond to the directions in which the object can be moved by the actuating elements or in which the representation can be manipulated.

5

20

25

20 .

25

5

It is the object of the present invention to provide a control signal input device of the type mentioned above, as well as a graphic representation using this input device, allowing for a more user-friendly handling.

- To solve the object, the Invention provides a control signal input device for a display device, the input device being provided with
  - a housing,
  - three control signal generating devices for generating first control signals to the display device,
  - three mutually orthogonal actuating elements, each being supported at or in the housing for linear displacement along one of three orthogonal spatial axes and projecting outward beyond the housing within at least one of two opposite portions of the housing, respectively, each actuating element respectively cooperating with a different one of the control signal generating devices, and wherein, in dependence on the displacement position of the actuating elements, the control signal generating devices generate the first control signals for displacement of the object on the display device along three directions corresponding to the spatial axes of the housing on the display device, and
  - a position detection sensor arrangement provided in or at the housing, the position detection arrangement sensing the orientation and/or the position of the housing and generating a corresponding control signal to the display device for orienting the object on the display device according to the orientation and position of the housing.
- 30 In a variant, the present input device comprises

20

25

30

3

- a housing,
- three control signal generating devices for generating first control signals to the display device,

- three pairs of actuating elements, both actuating elements in each pair being arranged at different, in particular opposite, portions of the housing lying on a respective one of three orthogonal spatial axes extending through the housing, each pair of actuating elements respectively cooperating with a different one of the control signal generating devices, and wherein, in dependence on the actuating condition (e.g., actuating time and/or actuating pressure) of the actuating elements, the control signal generating devices generate the first control signals for displacement of the object on the display device along three directions corresponding to the spatial axes of the housing on the display device, and

- a position detection sensor arrangement provided in or at the housing, the position detection arrangement sensing the orientation and/or the position of the housing and generating a corresponding control signal to the display device for orienting the object on the display device according to the orientation and position of the housing.

A display system of the present invention comprises

- a display device and
- an input device for generating control signals for displacing and/or orienting and/or positioning the object to be represented and/or displacing the sectional views along the axes, the input device being configured according to one of the previously described variants.

4

In the present input device, actuating elements, which when actuated generate

first control signals for controlling the display device, are arranged on the three mutually orthogonal spatial axes extending through the housing. These actuating elements project from the housing at at least three locations, preferably at six locations. These actuating elements are either linear displacement elements such as rods or the like, or actuating element pairs such as feelers/key switches located in pairs within opposite portions of the houses on the three orthogonal axes. Such a control signal input device is particularly useful for three-dimensionally influencing a stereographic representation on a display or for controlling a perspective representation on a display along three axes corresponding to the perspective or for displacing, positioning or orienting an object to be represented on the display. "Displacement of the object" should be understood in a broad sense in the context of this invention. Generally, it refers to a manipulation of the object representation in the direction of the three spatial axes. For example, the present input device allows to comfortably "pass" through bodies displayed on the display device along three axes so as to have, e.g., the different sectional views along the three axes displayed. In the present case, the sectional views are the object and are "displaced" when passing through the body. This may be advantageous, for example, in the field of medicine and in planning surgery so as to pass through a body part such as the head along several axes, thereby making it "transparent" to the doctor or surgeon. A further alternative of the "displacement of the object" is moving the object within its environment

25

30

20

The exact positional orientation of the input device relative to the representation on the display such that the three axes on which the actuating elements of the input device are located correspond to the three axes of the representation on the display, is realized in the present invention by providing the input device, e.g., with an inertia position and orientation detector arrangement or an orientation and/or position detector arrangement. Such a sensor arrangement

represented on the display device.

20

25

30

5

should be sensitive about the three spatial axes. One additional such sensor thus guarantees that the change of representation on the display expected by the user can actually take place according to the pivoting of the input device. Through this sensor, the input device is quasi coupled to the representation on the display or vice versa.

The advantage of the present input device is the simplicity of the control of the representation on the display device. Due to the automatic positionally exact orientation of the input device with the representation (object) on the display, the actuation of the actuating elements corresponds to a corresponding change in the representation (object) on the display. Through the coupling of the orientation of the input device and the represented object, the arrangement of the actuating elements at or in the housing of the input device corresponds to the axes along or about which the representation can be manipulated (e.g. displacement of the sectional planes of an object or displacement of the object itself along three orthogonal axes).

The principal idea of the invention is to provide the user with an input device representing a three-dimensional coordinate system. In the simplest form, the input device is a housing through which three orthogonal three displaceable, and possibly rotatable, rods extend that represent the three coordinate axes. By means of a position detector arrangement integrated in the input device, a coordinate system of a three-dimensional application is always maintained synchronous with the orientation of the input device. Thus, a displacement or rotation of the rods results in a displacement or rotation of a graphic object in the corresponding direction. When the input device is held such that the z-axis points upward, for example, the graphic object is also represented with its z axis pointing upward. When the rod corresponding to the z-axis is pushed downward, the graphical object also moves downward. When the input device is turned to the right through 90°, the graphical object is also turned to the right through 90°, and a displacement of the z-axis rod, now pointing to the

right, results in a displacement of the graphical object to the left or the right. This direct relationship between the manipulation of the input device and the graphical output resulting therefrom, makes using the input device very easy and intuitively comprehensible for the user.

5

In an advantageous development of the Invention, it is further provided that the housing has a parallelepiped shape, in particular a cubic shape, with six side walls and that the actuating elements, when supported at or in the housing for linear displacement, extend from all side walls, the ends of each actuating element projecting from two opposite parallel side walls of the housing. When three pairs of actuating elements, such as three pairs of key switches, are provided, these actuating elements are located at all side walls of the cubic housing. As an alternative, the housing may be spherical. It is also conceivable to give the housing an outer contour that is the same as the outer contour of the object to be represented. For example, the housing has the shape of a human head when such a head is represented on the display. The arrangement of the actuating elements then corresponds to the possible manipulation of the representation of the head on the display.

20

25

Through additional actuating elements or by a rotatable or otherwise further movable support of the actuating elements, which may also be arranged on the linearly displaceable actuating elements, for example, it is possible to generate further control signals with the present input device. Additional key switches or other switches could be used, for example, to realize representation functions such as scaling the represented body or object or rotating the same. Eventually, it is also conceivable that such additional actuating elements can be used to realize display functions like a slight tilting of the represented sectional plane about an axis. This application may be of interest in structural technology or teaching.

30

As a structural embodiment of these additional actuating elements, on e may contemplate rockers or knurled wheels besides key switches and other switches. Generally speaking, the present input device can be equipped with all of the conventional actuating elements known per se from electrical apparatus.

5

When using displaceable actuating elements projecting from the housing of the input device, such as rods or the like, it is advantageous in terms of comfortable use when the rods are centered and are automatically returned to this centered position (e.g. by restoring springs) when they have been deflected (displaced) from this rest position. By moving the ends of the rods more or less into the housing, the speed of the change of the representation on the display can be controlled. This control function is the same with actuating elements formed as key switches where the speed of the change of the representation is controlled through the actuation time.

The following is a detailed description of the invention with reference to the drawing. In the figures

20

Fig. 1 illustrates a first embodiment of a display control input device, and

Fig. 2 illustrates a second embodiment of an input device.

25

Fig. 1 illustrates a display device 10 in the form of a monitor, the screen 12 thereof displaying a body 14. Upon input of the corresponding control instructions by the user, the body 14 can be passed through along the x, y and z axes. In other words, sectional views through the body 14 can be represented that ly in the planes 16, 18 and 20.

30

The required control signals are inputted via an input device 22 with a cubeshaped housing 24. Accordingly, the housing 24 has three pairs of parallel

20

25

8

that are orthogonal with respect to each other and protrude from the side surfaces 26, 28, 30 with their ends. The rods 32, 34, 35 are supported at the housing 24 for linear displacement; depending on the displaced position, control signals are generated in signal generating devices 38, 40, 42 associated with the rods, which, in the present case, serve to displace the sectional planes 16, 18, 20 via the drive device 44 of the display device 10. A position and orientation sensor 46 detects the position and orientation of the input device 22. The output signal of this optical, acoustic or electromagnetic sensor 46 is also used to control the representation on the display device 10 through the drive device 44. As a consequence, the coordinate system of the representation on the display device 10 turns with the orientation of the rods 32, 34, 36 of the input device 22 in space (input device coordinate system).

Further functions of the representation, such as the displacement of the object 14 along the three axes of the coordinate system of the representation, can be realized through additional actuating elements 48 located at the housing 24. Through these actuating elements 28, a fine tuning of the position of the respective plane and/or a slight inclination of the representation of the sectional plane about a respective one of the three axes may be effected and/or the representation may be scaled. Through another of these additional actuating elements 48, the above mentioned "coupling" of the input device 22 with the representation on th display 12 can selectively be interrupted or restored, for example. Thus, it is possible, similar to taking a mouse from a pad and placing the mouse on another location, to displace the body 14 on the screen by reciprocating the input device 22 several times. The rotation of the actuating elements 32, 34, 36 may be used, e.g., for the linear fine positioning of the planes 16, 18, 20.

20.

25

30

9

Eventually, the rods 32, 34, 36 are supported for rotation about their longitudinal axis so as to allow fro further display or movement functions of the object on the screen 12 that can be controlled via the input device 22.

Fig. 2 illustrates an alternative embodiment of an input device 22', wherein similar parts of the input device 22' have been given the same reference numerals as in Fig. 1. The input device 22' differs from the input device 22 of Fig. 1 in that it further comprises rotatably supported rotary actuating elements formed as turn knobs 50, 52, 54 or turn sleeves and concentrically arranged about the rods 32, 34, 36. The rotation of the turn knobs 50, 52, 54 is detected in the units 56, 58, 60 and converted into drive signals for influencing the movement and/or the representation of the object, in particular the rotation of the object. Due to the separate rotary elements, the rotation of a graphical object can be entirely separated from the displacement, which may be desirable. With rotatable rods, a displacement of the rod most often also results in a slight rotation of the rod. This is no problem when the rotation of the rods is used, e.g., for a fine adjustment of the displacement.

Moreover, the input device 22' has a means 62 for manipulating the movement of the rods 32, 34, 36 and the turn knobs 50, 52, 54. This means 62 is controlled or activated depending on the position of the object on the screen 12. When the object is moved against an obstacle while actuating the rods 32, 34, 36, for example, the means 62 prevents a further movement of the respective rod or rods and turn knob or knobs. Thus, the representation on the screen is coupled with the freedom of movement of the rods 32, 34, 36 and the turn knobs 50, 52, 54. The means 62 may comprise drive means, e.g. stepper motors, cinematically coupled to the rods and turn knobs. While the braking device prevents further movement of the rods 32, 34, 36 and the turn knobs 50, 52, 54, the drive means is able to move the the rods 32, 34, 36 and the turn knobs 50, 52, 54 (back) when this is possible and desired for the given type of representation on the display.

It should be noted that an active movement and/or blocking of the rod-shaped actuating elements 32, 34, 26 in dependence on the position of the object within its environment represented on the display device can be realized independent of the presence of the position detector arrangement and, therefore, justifies legal protection by itself within the scope of the present invention.

The same that th

5

#### Claims

- 1. An input device for control signals for controlling the movement of an object represented on a display device, comprising
  - a housing (24),
  - three control signal generating devices (38, 40, 42) for generating first control signals to the display device,
  - three mutually orthogonal actuating elements (32, 34. 36), each being supported at or in the housing (24) for linear displacement along one of three orthogonal spatial axes (x, y, z) and projecting outward beyond the housing (24) within at least one of two opposite portions of the housing (24), respectively, each actuating element (32, 34, 36) respectively cooperating with a different one of the control signal generating devices (38, 40, 42), and wherein, in dependence on the displacement position of the actuating elements (32, 34, 36), the control signal generating devices (38, 40, 42) generate the first control signals for displacement of the object on the display device along three directions corresponding to the spatial axes of the housing (24) on the display device, and
  - a position detection sensor arrangement (46) provided in or at the housing (24), the position detection arrangement (46) sensing the orientation and/or the position of the housing (24) and generating a corresponding control signal to the display device for orienting the object on the display device according to the orientation and position of the housing (24).

- 2. The input device of claim 1, wherein the actuating elements (32, 34, 36) are supported in or at the housing (24) around a rest position, in particular centered about a rest position, and automatically move back into the rest position upon displacement from the same.
- The input device of claim 2, wherein, only upon a displacement from the rest position, will the control signal generating devices (38, 40, 42) generate control signals in dependence on the direction and/or degree of displacement.
- An input device for control signals for controlling the movement of an object represented on a display device, comprising
  - a housing (24),
  - three control signal generating devices (38, 40, 42) for generating first control signals to the display device,
  - three pairs of actuating elements, both actuating elements in each pair being arranged at different, in particular opposite, portions of the housing lying on a respective one of three orthogonal spatial axes extending through the housing, each pair of actuating elements respectively cooperating with a different one of the control signal generating devices, and wherein, in dependence on the actuating condition (e.g., actuating time and/or actuating pressure) of the actuating elements, the control signal generating devices generate the first control signals for displacement of the object on the display device along three directions corresponding to the spatial axes of the housing on the display device, and

- a position detection sensor arrangement provided in or at the housing, the position detection arrangement sensing the orientation and/or the position of the housing and generating a corresponding control signal to the display device for orienting the object on the display device according to the orientation and position of the housing.
- 5. The input device of one of claims 1 to 4, wherein the actuating elements (32, 34, 26) are supported at or in the housing (24) for rotation about their axes (x, y, z) extending in the respective direction of displacement and wherein the control signal generating devices (38, 40, 42) generate second control signals to the display device (10) in dependence on the rotational positions of the actuating elements (32, 34, 26).
- 6. The input device of one of claims 1 to 5, wherein a rotary actuating element (50, 52, 54) is provided per actuating element (32, 34, 36), which is rotatable around the axis of the associated actuating element (32, 34, 26) extending in the direction of displacement (x; y; z) and wherein the control signal generating devices (38, 40, 42) or additional control signal generating devices (56, 58, 60) generate second control signals to the display device (10) in dependence on the rotational position of the rotary actuating elements (50, 52, 54).
- 7. The input device of claim 6, wherein the actuating elements (32, 34, 36) penetrate the rotary actuating elements (50, 52, 54).
- 8. The input device of one of claims 1 to 7, wherein at or in the housing (24), switches or key switches or other actuating elements (48) are arranged for providing further control signals to the display device (10).

- 9. The input device of one of claims 1 to 8, wherein, per actuating element (32, 34, 36) and if provided per rotary actuating element (50, 52, 54), one means (62) for preventing further displacement or turning, the means being controllable by the display device in dependence on the position an object represented on the display device is in within an environment also represented on the display device.
- 10. The input device of claim 9, wherein the preventing means (62) comprises a mechanical braking/blocking device for blocking the respective actuating element (32, 34, 36) and/or the rotary element (50, 52, 54), or a drive means for moving or turning the actuating element (32, 34, 36) and/or the rotary actuating element (50, 52, 54).
- 11. The input device of one of claims 1 to 10, wherein the housing (24) has the shape of a parallelepiped, in particular a cube, and the actuating elements (32, 34, 36) protrude from all side walls (26, 28, 30) of the housing (24) or are arranged on all side walls (26, 28, 30) of the housing (24).
- 12. The input device of one of claims 1 to 11, wherein the housing is spherical in shape and the actuating elements are protrude from or are arranged in substantially diametrically opposite regions.
- 13. The input device of one of claims 1 to 12, wherein the housing substantially corresponds to the outer contour of an object to be displayed on the display device and the actuating elements are arranged corresponding to the axes along which the object may be controlled in its representation.

- 14. A display system for representing sectional views of an object that are adapted to be displaced along orthogonal axes, comprising
  - a display device (10) and
  - an input device (22) for generating control signals for displacing and/or orienting and/or positioning the object to be represented and/or displacing the sectional views along the axes (x,y,z), the input device (22) being configured according to one of the previous claims.

The street party from the party of the street 
#### **Abstract**

# Input device for control signals for controlling the movement of an object represented on a display device and graphic display having said input device

An input device for control signals for controlling the movement of an object represented on a display device comprises a housing (24) and three control signal generating devices (38, 40, 42) for generating first control signals. Further, it has three mutually orthogonal actuating elements(32, 34, 36), each being supported at or in the housing (24) for linear displacement along one of three orthogonal spatial axes (x, y, z) and projecting outward beyond the housing (24) within at least one of two opposite portions of the housing (24), respectively. Each actuating element (32, 34, 36) respectively cooperates with a different one of the control signal generating devices (38, 40, 42), and wherein, in dependence on the displacement position of the actuating elements (32, 34, 36), the control signal generating devices (38, 40, 42) generate the first control signals. Through a position detection sensor arrangement (46), the orientation and/or the position of the housing (24) is detected and the object is oriented on the display device according to the orientation and position of the housing (24).

(Fig. 1)

## BIRCH, STEWART, KOLASCH & BIRCH, LLP

## COMBINED DECLARATION AND POWER OF ATTORNEY FOR PATENT AND DESIGN APPLICATIONS

ATTORNEY DOCKET NO.
MITORIEI DOCKEI NO.

As a below named inventor, I hereby declare that: my residence, post office address and citizenship are as stated next to my name; that I verily believe that I am the original, first and sole inventor (if only one inventor is named below) or an original, first and joint inventor (if plural inventors are named below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:\*

Insert Title	Input device for corresented on a d	ontrol signals for isplay device and	controlling the movem graphic display having	ent of an object said input device
Check Box If Appropriate For Use Without Specification Attack  MAR 1 6 200	the specification of which is  was filed on  States Application N  PCT International Aj  and was amended on  I hereby state that I h  mcluding the claims, as ame  I acknowledge the duty  Code of Federal Regulations  I do not know and do  before my or our invention  my or our invention thereof  use or on sale in the United  has not been patented or ma  in any country foreign to  representatives or assigns m	attached hereto unless the sattached hereto number PCT ave reviewed and undersuded by any amendment by to disclose information is, §1.56.  not believe the same was thereof, or patented or determined to the subject of an invertible united States of Aport than twelve months (so	graphic display having the following box is checked: as United or /EP99/06494 on Sept  stand the contents of the above referred to above, which is material to patentability as ever known or used in the Uniscribed in any printed publication or to this application, that the orior to this application, that the orior is certificate issued before the America on an application file six months for designs) prior to	said input devices  dember 3, 1999 (if applicable).  identified specification, by as defined in Title 37, finited States of America from in any country before the same was not in public cation, that the invention the date of this application and that that application, and that
	United States of America p follows.  I hereby claim foreign application(s) for patent or	rior to this application b priority benefits under T inventor's certificate list	nis invention has been filed in any me or my legal representative itle 35, United States Code, §11 ted below and have also identify a filing date before that of the	es or assigns, except as 19 (a)-(d) of any foreign ified below any foreign
	Prior Foreign Application(	c)		D: '' CI: 1
Insert Priority	198 40 939.7		Combanda a R. 4000	Priority Claimed
Information	(Number)	Germany (Country)	September 8, 1998 (Month/Day/Year Filed)	<b>∑</b> □
(if appropriate)	(Number)	(Country)	(Month/Day/Tear Filed)	Yes No
	(Number)	(Country)	(Month/Day/Year Filed)	Yes No
	(Number)	(Country)	(Month/Day/Year Filed)	Yes No
	(Number)	(Country)	(Month/Day/Year Filed)	Yes No
	(Number)	(Country)	(Month/Day/Year Filed)	Yes No
	I hereby claim the bene application(s) listed below.	efit under Title 35, United	States Code, § 119(e) of any U	Inited States provisional
	(Application Number)		(Filing Date)	
	(Application Number)		AT 11 2	
			(Filing Date)  Inventor's Certificate Filed Mos Application:  Application No.	Date of Filing (Month/Day/Year)
	listed below and, insofar as prior United States application §112, I acknowledge the dut	the subject matter of each on in the manner provider y to disclose information s, \$1.56 which became as	d States Code, §120 of any Unit of the claims of this application d by the first paragraph of Title which is material to patentabilit vailable between the filing date is application:	n is not disclosed in the 35, United States Code, y as defined in Title 37,
E: Must be completed.	(Application Number)	(Filing	Date) (Status — patente	ed, pending, abandoned)
1 of 2	(Application Number)	(Filing	Date) (Status — patente	ed, pending, abandoned)

\*NOT

Page 1 of 2

(Status - patented, pending, abandoned)

I hereby appoint the following attorneys to prosecute this application and/or an international application based on this application and to transact all business in the Patent and Trademark Office connected therewith and in connection with the resulting patent based on instructions received from the entity who first sent the application papers to the attorneys identified below, unless the inventor(s) or assignee provides said attorneys with a written notice to the contrary:

RAYMOND C. STEWART (Reg. No. 21,066) JOSEPH A. KOLASCH (Reg. No. 22,463) JAMES M. SLATTERY (Reg. No. 28,380)

CHARLES GORENSTEIN (Reg. No. 29,271) LEONARD R. SVENSSON (Reg. No. 30,330) MARC S. WEINER (Reg. No. 32,181) JOE McKINNEY MUNCY (Reg. No. 32,334) C. JOSEPH FARACI (Reg. No., 32,350)

TERRELL C. BIRCH (Reg. No. 19,382) ANTHONY L. BIRCH (Reg. No. 26,122 BERNARD L. SWEENEY (Reg. No. 24,448) MICHAEL K. MUTTER (Reg. No. 29,680) GERALD M. MURPHY, JR. (Reg. No. 28,977) TERRY L. CLARK (Reg. No. 32,644) ANDREW D. MEIKLE (Reg. No. 32,868) ANDREW F. REISH (Reg. No. 33,443)

PLEASE NOTE: YOU MUST COMPLETE THE FOLLOWING:

Send Correspondence to: BIRCH, STEWART, KOLASCH AND BIRCH, LLP

P.O. Box 747

Falls Church, Virginia 22040-0747 Telephone: (703) 205-8000 Facsimile: (703) 205-8050

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Name of First or Sole	<u></u>		<del></del>		T
ventor:	GIVEN NAME	FAMILY NAME	INVENTOR'S SIGNATURE		DATE*
rt Name of Inventor sert-Date This connent Is Signed	Bernd	Froehlich	1 B th	Name and the same	12/22/2000
rt Residence	Residence (City, State	& Country)		CITIZENSHIP	•
sert-Citizenship	~	n, Germany 🔌 🗟	*	German	
rt Post Office		ESS (Complete Street Address inc	• • • • • • • • • • • • • • • • • • • •		
id <u>re</u> ss =		trasse 18, 53225	·		
Name of Second ventor, if any:	GIVEN NAME	FAMILY NAME	INVENTOR'S SIGNATURE		DATE*
see above		Plate	1 Sollet	)	12/22/2000
all	Residence (City, State	& Country)		CITIZENSHIP	
1	L	<del>ln, Germany</del> 5321	/) (	Germar	۱ 
	•	ESS (Complete Street Address inc		Àm Wolfsbac	h 48,
	Muenzstra	<del>sse 6, 51063 Koc</del>	<del>ln, Germany</del>	53229 Bonn,	Germany
Name of Third ventor, if any:	GIVEN NAME	FAMILY NAME	INVENTOR'S SIGNATURE		DATE*
see above					
	Residence (City, State	& Country)		CITIZENSHIP	
	POST OFFICE ADDRE	ESS (Complete Street Address inc	luding City, State & Country)		
Name of Fourth	GIVEN NAME	FAMILY NAME	INVENTOR'S SIGNATURE		DATE*
ventor, if any:		.,	111111111111111111111111111111111111111		DATE
see above					
	Residence (City, State	& Country)		CITIZENSHIP	
	POST OFFICE ADDRE	ESS (Complete Street Address inc	luding City, State & Country)		
Name of Fifth ventor, if any:	GIVEN NAME	FAMILY NAME	INVENTOR'S SIGNATURE		DATE*
see above			1		
300 40010	Residence (City, State	& Country)		CITIZENSHIP	L
	nesidence (Oily, Oillio	& Country)		CHIZENSTIF	
e: Must be completed	POST OFFICE ADDRE	ESS (Complete Street Address inc	cluding City, State & Country)	<u> </u>	
ate this document is			, and any , and any ,		
-					

Full

Full

Full

\*Not signe

Page 2 of 2 (USPTO Approved 3-90) (Revised 8-95)

## VERIEFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY STATUS (37 CFR 1.9(F) AND 1.27(D)) - NONPROFIT ORGANIZATION

I hereby declare that I am an official empowered to act on behalf of the nonprofit organization identified below:

OIP	NAME OF ORGANIZATION ADDRESS OF ORGANIZATION Schloss Birlinghoven, 53754 Sankt Augustin, Germany TYPE OF ORGANIZATION  [] UNIVERSITY OR OTHER INSTITUTION OF HIGHER EDUCATION  [] TAX EXEMPT UNDER INTERNAL REVENUE SERVICE CODE (26 USC 501(a) and 501(c) (3))
/ 0	NONPROFIT SCIENTIFIC OR EDUCATIONAL UNDER STATUTE OF STATE OF THE UNITED STATES OF AMERICA
MAR 16	2001 (NAME OF STATE) CCITATION OF STATUTE
	[x] WOULD QUALIFY AS TAX EXEMPT UNDER INTERNAL REVENUE SERVICE CODE (26 USC
	501(a) and 501(c)(3)) IF LOCATED IN THE UNITED STATES OF AMERICA WOULD QUALIFY AS NONPROFIT SCIENTIFIC OR EDUCATIONAL UNDER STATUTE OF
Phonesis and the second	STATE OF THE UNITED STATES OF AMERICA IF LOCATED IN THE UNITED STATES OF AMERICA
1	(NAME OF STATE
	(CITATION OF STATUTE)
7	I hereby declare that the nonprofit organization identified above qualifies as a nonprofit organization as defined in 37 CFR 1.9(e) for purposes of paying reduced fees under section 41(a) or (b) of Title 35, United States Code with regard to the invention entitled
prist Heli Mars	Input device for control signals for controlling the movement of an object represented on a display and graphic display having said input device
	by inventor Bernd Froehlich et al. described in
Manager of the state of the sta	the specification filed herewith application serial noPCT/EP99/06494, filed September 3, 1999 application serial noPCT/EP99/06494, filed September 3, 1999 application serial noPCT/EP99/06494, filed September 3, 1999 application serial noPCT/EP99/06494.
]	I hereby declare that rights under contract or law have been conveyed to and remain with the nonprofit organization with regard to the above identified invention.
1 1	If the rights held by the nonprofit organization are not exclusive, each individual, concern or organization having rights to the invention is listed below* and no rights to the invention are held by any person, other than the inventor, who could not qualify as a small business concern under 37 CFR 1.9(d) or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e). *NOTE: Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27).
	NAME
	ADDRESS
•	acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37CFR 1.28(b))
I	hereby declare that I understand the English language.
r v	hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Fitle 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.
	NAME OF PERSON SIGNING Prof. Dr. D. Tsichritzis Dr. HG. Sundermann
	TITLE IN ORGANIZATION Chairman of the Executive Board Vicechairman of the Executive Board ADDRESS OF PERSON SIGNING Hauptstrasse 282a, 53639 Königswinter Ara-Schlehdoin 1, 53343 Wachtberg
	SIGNATURE DATE 05. Dezember 2000

Applicant or Patentee: GMD For hungszentrum Informationstechnik GmbH

Attorney's Docket No: filed or Issued:

For:

MAR 1 6 2001

# VERIEFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY STATUS (37,CFR + 9(f) and 1.27(b)) - INDEPENDENT INVENTOR

As a below named inventor, I hereby declare that I qualify as an independent inventor as defined in 37 CFR 1.9(c) for purposes of paying reduced fees under section 41(a) and (b) of Title 35, United States Code, to the Patent and Trademark Office with regard to the invention entitled

Input device for control signals for controlling the movement of an object represented on a display and graphic display having said input device

described in	
[] the specification filed herewith  [X] application serial per/EP99/06494 filed September 3, 1999  [] patent no, issued	·
I have not assigned, granted, conveyed or licensed and am under no obligaring grant, convey or license, any rights in the invention to any person who could inventor under 37 CFR 1.9(c) if that person had made the invention, or to any small business concern under 37 CFR 1.9(d) or a nonprofit organization under	ld not be classified as an independent concern which would not qualify as a
Each person, concern or organization to which I have assigned, granted, cobligation under contract or law to assign, grant, convey, or lincense any right	
<ul> <li>no such person, concern, or organization</li> <li>persons, concerns or organizations listed below*</li> </ul>	
*NOTE: Separate verified statements are required from each named perights to the invention averring to their status as small entities. (37 CFR 1	
FULL NAME ADDRESS GMD Forschungszentrum Informationstechnik GmbH Schloss Birlinghoven, 53754 Sankt Augustin, Germany	
[] INDIVIDUAL [] SMALL BUSINESS CONCERN [x] NONPRO	OFIT ORGANIZATION
I acknowledge the duty to file, in this application or patent, notification of an entitlement to small entity status prior to paying, or at the time of paying maintenance fee due after the date on which status as a small entity is no long	s, the earliest of the issue fee or any
I hereby declare that I understand the English language.	
I hereby declare that all statements made herein of my own knowledge are information and belief are believed to be true; and further that these statement willful false statements and the like so made are punishable by fine or imprisorable 18 of the United States Code, and that such willful false statement application, any patent issuing thereon, or any patent to which this verified states.	ats were made with the knowledge that comment, or both, under section 1001 of its may jeopardize the validity of the
3.7	HAL
Bernd Froehlich	John Plate
December 22, 2000	December 22, 2000
Date	Date

, Applicant or Patentee: GMD Fc nungszentrum Informationstechnik GmbH

Serial or Patent No.: New

filed or Issued: February 20, 2001

For:

Attorney's Docket No: 0179-0167P

#### VERIEFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY STATUS (37 CFR 1.9(f) and 1.27(b)) - INDEPENDENT INVENTOR

As a below named inventor, I hereby declare that I qualify as an independent inventor as defined in 37 CFR 1.9(e) for purposes of paying reduced fees under section 41(a) and (b) of Title 35, United States Code, to the Patent and Trademark Office with regard to the invention entitled

Input device	e for control signals for controllin graphic displa	g the movement of an object re ly having said input device	epresented on a display and
described in			
[] the spec [M] applicat [] patent n	cification filed herewith cion serial <del>PCT/IP99/00404</del> filed Sion.	September 3, 1999	,
grant, convey o	gned, granted, conveyed or license or license, any rights in the invention of CFR 1.9(c) if that person had ma concern under 37 CFR 1.9(d) or a ne	on to any person who could not ide the invention, or to any conce	: be classified as an independent em which would not qualify as a
Each person, co obligation unde	oncern or organization to which I recontract or law to assign, grant, co	have assigned, granted, convey onvey, or lincense any rights in the	ed, or licensed or am under ar he invention is listed below:
[] no such [x] persons	person, concern, or organization s, concerns or organizations listed b	elow*	
*NOTE: Se rights to the	parate verified statements are required invention averting to their status as	aired from each named person, small entities. (37 CFR 1.27)	concern or organization having
FULL NAME ADDRESS	GMD Forschungszentrum Inf Schloss Birlinghoven, 53754 S	ormationstechnik GmbH ankt Augustin, Germany	
[] INDIVII	DUAL [] SMALL BUSINES	S CONCERN [x] NONPROFIT	ORGANIZATION
entitlement to	the duty to file, in this application small entity status prior to paying the due after the date on which status	, or at the time of paying, the	earliest of the issue fee or an
I hereby declar	e that I understand the English lang	uage.	
information an willful false sta Title 18 of the	re that all statements made herein d belief are believed to be true; and atements and the like so made are pe United States Code, and that sty patent issuing thereon, or any patent of the states of	I further that these statements we unishable by fine or imprisonme uch willful false statements ma	ere made with the knowledge the ent, or both, under section 1001 of ay jeopardize the validity of the
B	). h		Walk
Bernd Froehl	ich	V	John Plate
December	22, 2000	De	ecember 22, 2000
Date			Date

# VERIEFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY STATUS (37 CFR 1.9(F) AND 1.27(D)) - NONPROFIT ORGANIZATION

I hereby declare that I am an official empowered to act on behalf of the nonprofit organization identified below:

NAME OF ORGANIZATION  GMD Forschungszentrum Informationstechnik GmbH  ADDRESS OF ORGANIZATION  UNIVERSITY OR OTHER INSTITUTION OF HIGHER EDUCATION  TAX EXEMPT UNDER INTERNAL REVENUE SERVICE CODE (26 USC 501(a) and 501(c) (3))  NONPROFIT SCIENTIFIC OR EDUCATIONAL UNDER STATUTE OF STATE OF THE UNITED STATES OF AMERICA  (NAME OF STATE  (CITATION OF STATUTE  IX WOULD QUALIFY AS TAX EXEMPT UNDER INTERNAL REVENUE SERVICE CODE (26 USC 501(a) and 501(c)(3)) IF LOCATED IN THE UNITED STATES OF AMERICA  WOULD QUALIFY AS NONPROFIT SCIENTIFIC OR EDUCATIONAL UNDER STATUTE OF STATE OF THE UNITED STATES OF AMERICA (NAME OF STATE  (CITATION OF STATUTE  (CITATION OF STATUTE  (CITATION OF STATUTE  (CITATION OF STATUTE
I hereby declare that the nonprofit organization identified above qualifies as a nonprofit organization as defined in 37 CFR 1.9(e) for purposes of paying reduced fees under section 41(a) or (b) of Title 35, United States Code with regard to the invention entitled
Input device for control signals for controlling the movement of an object represented on a display and graphic display having said input device
by inventor Bernd Froehlich et al. described in
[] the specification filed herewith  [X application serial noPCT/EP99/06494, filed September 3, 1999  [] patent no, issued
I hereby declare that rights under contract or law have been conveyed to and remain with the nonprofit organization with regard to the above identified invention.
If the rights held by the nonprofit organization are not exclusive, each individual, concern or organization having rights to the invention is listed below* and no rights to the invention are held by any person, other than the inventor, who could not qualify as a small business concern under 37 CFR 1.9(d) or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e). *NOTE: Separate verified statements are required from each named person, concern or organization having rights to the invention averting to their status as small entities. (37 CFR 1.27).
NAMEADDRESS
[] INDIVIDUAL [] SMALL BUSINESS CONCERN [] NONPROFIT ORGANIZATION
I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37CFR 1.28(b))
I hereby declare that I understand the English language.
I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.
NAME OF PERSON SIGNING TITLE IN ORGANIZATION Chairman of the Executive Board ADDRESS OF PERSON SIGNING Hauptstrasse 282a, 53639 Königswinter SIGNATURE DATE DATE Dr. HG. Sundermann Vicechairman of the Executive Board Appropriate Board Appropriat